

**ECAST**<sup>TM</sup>

Product Guide

[www.chicagofaucetshoppe.com](http://www.chicagofaucetshoppe.com)

**Simply click on the picture of the faucet you need to view pricing and more information.**

**CHICAGO  
FAUCETS** 

a Geberit company





## Product Guide

In 2010, new laws regarding lead content in plumbing products that deliver water for human consumption will take effect in states around the country. Once again, Chicago Faucets is leading the way to respond to these new low lead initiatives with ECAST™.

ECAST, from Chicago Faucets, is the line of durable, high-quality brass faucets and fixtures that are designed and manufactured with less than one quarter of one percent (0.25%) total lead content by weighted average. These products are intended for installation in locations where state laws and local codes mandate lead content levels or where lead content is a concern.

Projects that are in the planning stage now could be impacted by this new state law. Facilities that should consider ECAST faucets include:

- **Schools and Universities**
- **Hospitals**
- **Restaurants and Food Service Facilities**
- **Assisted Living and Nursing Care Facilities**

At Chicago Faucets, we are proud to continually take a leadership position on product quality, innovation, conservation and safety. ECAST - combined with our water conservation, sustainability and anti-microbial initiatives - will allow you to specify, install and use the highest quality commercial grade products that meet or exceed the latest laws, codes and environmental initiatives.

For more information, visit [ecast.chicagofaucets.com](http://ecast.chicagofaucets.com) or call our ECAST hotline at **888/313-3230**.

CHICAGO FAUCETS



# Choose from a complete assortment of ECAST products.

With a wide selection of ECAST faucets and fixtures, you can bring heavy-duty commercial quality with enhanced water quality to schools, hospitals and commercial kitchens throughout your area. The ECAST product line includes:

- Deck Mounted Faucets
- Wall Mounted Faucets
- Stop Valves
- Specialty Fittings
- Metering Faucets
- Bubblers

On the following pages, you'll find an overview of just some of the ECAST faucets that we have available. Please contact your Chicago Faucets sales representative or visit our website for a complete listing of ECAST faucets.

## ECAST Deck Mounted Single Hole



**Sink  
Faucet**

50-ABCP

This single hole faucet features a gooseneck spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed lever handles and our Quatum™ operating cartridges.

Other models available include:  
50-GN8AE3ABCP, 50-E2805-5ABCP,  
50-VPAABCP



**Sink  
Faucet**

50-317ABCP

This single hole faucet features a gooseneck spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed wristblade handles and our Quatum™ operating cartridges.

Other models available include:  
50-GN2FC317ABCP



**Sink  
Faucet**

350-ABCP

This single hole faucet features a gooseneck spout with a 2.2 GPM pressure compensating Softflo® aerator, cold indexed lever handle and our Quatum™ operating cartridge.

Other models available include:  
350-GN8AE3ABCP, 350-LHABCP,  
350-VPAABCP, 350-VPCABCP



**Sink  
Faucet**

350-317ABCP

This single hole faucet features a gooseneck spout with a 2.2 GPM pressure compensating Softflo® aerator, cold indexed wristblade handle and our Quatum™ operating cartridge.

Other models available include:  
350-317VPAABCP

ECAST





## ECAST Deck Mounted Single Hole

### Sink Faucet



350-DB6AE3ABCP

This single hole faucet features a double bend spout with a 2.2 GPM pressure compensating Softflo® aerator, a cold indexed lever handle and our Quatum™ operating cartridge.

### Single Water Inlet Fitting



626-E29ABCP

This single water inlet fitting features a gooseneck spout with a 2.2 GPM Lam-A-Flow laminar outlet.

Other models available include:  
626-E29VPABCP, 626-GN8AE29ABCP,  
626-GN8AE29VPABCP

### Single Water Inlet Fitting



626-FCABCP

This single water inlet fitting features a gooseneck spout with a 1.6 GPM laminar flow control device in spout.

Other models available include:  
626-ABCP, 626-E3ABCP,  
626-GN8AE3ABCP, 626-GN8AFCABCP,  
626-GN8FCABCP

### Lavatory Metering Faucet



333-665PSHABCP

This metering lavatory faucet features a 3 3/8" integral spout with a 2.2 GPM pressure compensating Softflo® aerator and our MVP™ metering handle and cartridge.

Other models available include:  
333-665PSHVPAABCP,  
333-E2805-665PSHABCP

## ECAST Deck Mounted 4" Centers

### Lavatory Metering Faucet



802-665ABCP

This metering lavatory faucet features a 4" integral spout with a 2.2 GPM pressure compensating Softflo® aerator, our MVP™ metering handles and cartridges.

Other models available include:  
802-V665ABCP

### Lavatory Faucet



802-317ABCP

This lavatory faucet features a 4" integral spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed wristblade handles and our Quatum™ operating cartridges.

Other models available include:  
802-317XKABCP, 802-V317ABCP,  
802-V317XKABCP, 802-VE2805-317ABCP

### Lavatory Faucet



802-ABCP

This lavatory faucet features a 4" integral spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed curved lever handles and our Quatum™ operating cartridges.

Other models available include:  
802-VABCP, 802-VE2805ABCP,  
802-VXKABCP, 802-XKABCP

### Lavatory Faucet



802-1000ABCP

This lavatory faucet features a 4" integral spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed single wing canopy handles and our Quatum™ operating cartridges.

Other models available include:  
802-V1000ABCP

**ECAST**



## ECAST Deck Mounted 4" Centers

### Lavatory Metering Faucet



857-E12-665PSHABCP

This single inlet metering lavatory faucet features a 4 1/8" integral spout with a 2.2 GPM pressure compensating Softflo® aerator, our MVP™ metering handle and cartridge.

Other models available include:  
857-E12-665PSHVAABCP  
857-E2805-665PSHABCP

### MeterMix™ Metering Faucet



3300-ABCP

This metering lavatory faucet features an integral temperature control, a 4 3/4" integral spout with a vandal-resistant .5 GPM Econo-Flo spray outlet, metal push handle and our MVP™ cartridge.

### Metering Faucet



3400-ABCP

This metering lavatory faucet features an integral temperature control, a 4 3/4" integral spout with a vandal-resistant .5 GPM Econo-Flo spray outlet, metal push handle and our MVP™ cartridge.

### Sink Faucet



895-317ABCP

This sink faucet features a gooseneck spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed wristblade handles and our Quatum™ operating cartridges.

Other models available include:  
895-317E29ABCP, 895-317XKABCP,  
895-317E29VPABCP, 895-317GN8AE3ABCP,  
895-317RGD1ABCP, 895-317E2805-5ABCP,  
895-317GN2AE29ABCP

### Sink Faucet



895-665ABCP

This sink faucet features a gooseneck spout with a 2.2 GPM pressure compensating Softflo® aerator, our MVP™ metering handles and cartridges.

### Sink Faucet



895-317FCABCP

This faucet features a gooseneck spout with a 1.6 GPM laminar flow control device in spout, indexed wristblade handles and our Quatum™ operating cartridges.

Other models available include:  
895-317GN2AABCP, 895-317FCXKABCP,  
895-317GN2AE3ABCP, 895-317GN2FCABCP,  
895-317GN2AFABCP

### Sink Faucet



1895-ABCP

This sink faucet features a gooseneck spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed single wing canopy handles and our Quatum™ operating cartridges.

### Sink Faucet



895-ABCP

This sink faucet features a gooseneck spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed lever handles and our Quatum™ operating cartridges.

Other models available include:  
895-GN2AE3ABCP, 895-GN2FCABCP,  
895-L12ABCP, 895-RGD1ABCP,  
895-XKABCP



ECAST



## ECAST Deck Mounted 8" Centers

### Kitchen Sink Faucet



This kitchen sink faucet features a swing spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed lever handles, side spray and our Quatum™ operating cartridges.

Other models available include:  
200-AL8ABCP

### Kitchen Sink Faucet



This kitchen sink faucet features a swing spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed wristblade handles, side spray and our Quatum™ operating cartridges.

Other models available include:  
200-AGN8AE3-317ABCP,  
200-AGN8AE3-317XKABCP,  
200-AL8-317ABCP

### Kitchen Sink Faucet



This kitchen sink faucet features a swing spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed single wing canopy handles and our Quatum™ operating cartridges.

Other models available include:  
1201-AVPAABCP

### Kitchen Sink Faucet



This kitchen sink faucet features a gooseneck spout with a 2.2 GPM Lam-A-Flo laminar outlet, indexed wristblade handles and our Quatum™ operating cartridges.

Other models available include:  
201-AGN8AFC317ABCP


### Kitchen Sink Faucet



This kitchen sink faucet features a gooseneck spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed wristblade handles and our Quatum™ operating cartridges.

Other models available include:  
201-AGN8AE3-317VPAABCP,  
201-AGN8AE3-317XKABCP,  
201-AGN8AE2805-5-317ABCP

### Kitchen Sink Faucet



This kitchen sink faucet features a gooseneck spout with a 2.2 GPM pressure compensating Softflo® aerator, 6" indexed elbow blade handles and our Quatum™ operating cartridges.

### Kitchen Sink Faucet



This kitchen sink faucet features a gooseneck spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed lever handles and our Quatum™ operating cartridges.

Other models available include:  
201-AGN8AE3VPAABCP  
201-AGN8AE2805-5ABCP

### Kitchen Sink Faucet



This faucet features a gooseneck spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed wristblade handles and our Quatum™ operating cartridges.

Other models available include:  
786-E29ABCP, 786-GN2FCABCP

**ECAST**



## ECAST Deck Mounted 8" Centers

### Kitchen Sink Faucet



786-E3-319ABCP

This kitchen sink faucet features a gooseneck spout with a 2.2 GPM pressure compensating Softflo® aerator, 6" indexed elbow blade handles and our Quatum™ operating cartridges.

Other models available include:  
786-GN8AE3-319ABCP

### Kitchen Sink Faucet



785-ABCP

This kitchen sink faucet features a gooseneck spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed wristblade handles and our Quatum™ operating cartridges.

Other models available include:  
785-GN1FCABCP, 785-XKABCP,  
786-GN8AE3ABCP

### Kitchen Sink Faucet



785-665ABCP

This kitchen sink faucet features a gooseneck spout with a 2.2 GPM pressure compensating Softflo® aerator and our MVP™ metering handles and cartridges.

### Kitchen Sink Faucet



786-E3VPCABCP

This kitchen sink faucet features a gooseneck spout with a vandal resistant 2.2 GPM pressure compensating Softflo® aerator, indexed wristblade handles and our Quatum™ operating cartridges.

Other models available include:  
786-E3XKABCP, 786-E29VPABCP,  
786-E29XKABCP, 786-L9E29ABCP

### Kitchen Sink Faucet



786-GN8AE29ABCP

This kitchen sink faucet features a gooseneck spout with a 2.2 GPM Lam-A-Flo laminar flow outlet, indexed wristblade handles and our Quatum™ operating cartridges.

Other models available include:  
786-GN8FCABCP

### Kitchen Sink Faucet



786-E3-369ABCP

This kitchen sink faucet features a gooseneck spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed lever handles and our Quatum™ operating cartridges.

Other models available include:  
786-GN8AE3-369ABCP

### Kitchen Sink Faucet



786-GN2AFCABCP

This kitchen sink faucet features a gooseneck spout with a 1.6 GPM laminar flow control device in spout, indexed wristblade handles and our Quatum™ operating cartridges.

Other models available include:  
786-GN2FCXKABCP

### Kitchen Sink Faucet



1100-317ABCP

This kitchen sink faucet features an 8" swing spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed wristblade handles and our Quatum™ operating cartridges.

Other models available include:  
1100-317VPAABCP,  
1100-GN2AE3-317ABCP,  
1100-GN8AE3-317ABCP



## ECAST Deck Mounted 8" Centers

### Kitchen Sink Faucet



This faucet features an 8" swing spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed single wing canopy handles and our Quatum™ operating cartridges.

Other models available include:  
1100-L9ABCP, 1100-XKABCP

### Kitchen Sink Faucet



This kitchen sink faucet features an 8" swing spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed lever handles and our Quatum™ operating cartridges.

Other models available include:  
1100-E2805-5-369ABCP

### Lavatory Faucet



This lavatory faucet features a 5" spout with a vandal resistant 2.2 GPM pressure compensating Softflo® aerator, indexed wristblade handles and our Quatum™ operating cartridges.

Other models available include:  
404-317ABCP

### Lavatory Faucet



This metering lavatory faucet features a 5" spout with a vandal resistant 2.2 GPM pressure compensating Softflo® aerator, our MVP™ metering handles and cartridges.

Other models available include:  
404-665ABCP, 404-VE2805-665ABCP

### Lavatory Faucet



This lavatory faucet features a 5" spout with a 2.2 GPM pressure compensating Softflo® aerator, curved indexed lever handles and our Quatum™ operating cartridges.

Other models available include:  
404-VABCP  
404-VE2805ABCP

### Lavatory Faucet



This lavatory faucet features a 5" spout with a 2.2 GPM pressure compensating Softflo® aerator, metal canopy handles and our Quatum™ operating cartridges.

### Lavatory Faucet



This lavatory faucet features a 5" spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed 3-wing handles and our Quatum™ operating cartridges.

Other models available include:  
404-V950ABCP

### Lavatory Faucet



This lavatory faucet features a 5" spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed single wing canopy handles and our Quatum™ operating cartridges.

Other models available include:  
404-V1000ABCP



## ECAST Wall Mounted and Specialty Applications



**Service Sink Faucet**

445-ABCP

This service sink faucet features a cast swing spout with a 2.2 GPM pressure compensating Softflo® aerator, indexed lever handles, adjustable supply arms and our Quatum™ operating cartridges.

Other models available include: 445-E1ABCP, 445-L8ABCP, 445-L9ABCP, 445-L9E1ABCP, 445-L12ABCP, 445-L12E1ABCP, 445-L15ABCP



**Drinking Fountain**

748-665ABCP

This drinking fountain features an all metal projector head with a recessed vandal resistant volume control and our MVP™ valve and handle and MVP™ cartridge.

Other models available include: 748-665FHABCP



**Angle Stop Fitting**

1013-ABCP

This angle stop fitting features a loose key handle and our slow compression operating cartridge.

Other models available include: 1006-ABCP, 1017-ABCP



**Combination Pedal Box**

625-ABCP

This combination pedal box features two short pedals and our NAIAD™ Self Closing Cartridges.

Other models available include: 625-ABRCF, 625-LPABCP, 625-LPSLOABCP, 625-SLOABCP

## ECAST Components



**Concealed Lavatory Faucet**

404-LESSHDLABCP

This lavatory faucet, less handles, features a 5" spout with a 2.2 GPM pressure compensating Softflo® aerator, and our Quatum™ operating cartridges.



**Lavatory Faucet**

802-LESSHDLABCP

This lavatory faucet, less handles, features a 4" integral spout with a 2.2 GPM pressure compensating Softflo® aerator and our Quatum™ operating cartridges.

Other models available include: 802-VLESSHDLABCP



**Sink Faucet**

895-LESSHDLABCP

This sink faucet, less handles, features a gooseneck spout with a 2.2 GPM pressure compensating Softflo® aerator and our Quatum™ operating cartridges.



**Kitchen Sink Faucet**

1100-LESSHDLABCP

This kitchen sink faucet, less handles, features an 8" swing spout with a 2.2 GPM pressure compensating Softflo® aerator and our Quatum™ operating cartridges.

# A Commitment To Water Conservation and Sustainability

An extensive product offering for over 30 years that incorporates low-flow outlets, adjustable metering cartridges, and most recently our line of HyTronic™ sensor-operated faucets, is evidence of Chicago Faucets' commitment to water conservation. All of these products help you to conserve water by limiting the flow rate and controlling operation time. In addition, Chicago Faucets is committed to conservation and sustainability in our manufacturing processes, with an objective to operate clean, safe and energy-efficient production with optimized logistics in terms of energy consumption, emissions and packaging.

Sustainability and social responsibility are closely interrelated and are important subjects for us. Chicago Faucets has shown that economic success, acting in an environmentally friendly manner and social balance are not mutually exclusive. On the contrary, we regard sustainability as an opportunity to travel down new roads. Our goal is to be a role model for the industry in sustainability and conservation through ongoing environmental initiatives throughout our company, including:

- **The implementation of a permanent mold casting that dramatically reduces landfill waste associated with traditional sand cast manufacturing**
- **The utilization of recycled brass in the casting of all of our faucet bodies**
- **The recycling of all of our scrap brass, as well as corrugated packaging and other paper at our factories**
- **Recognition by the City of Milwaukee for outstanding implementation and overall environmental effectiveness for our ecological wastewater system**

Finally, when it comes to sustainability, the quality of the product must be considered. Chicago Faucets makes products that are truly designed to *last as long as the building*. When a product is built to last, that means fewer replacements and less waste from replacing an inferior product. At Chicago Faucets, we truly believe that our product quality can have a lasting impact on our natural resources by extending the replacement timeline and reducing manufacturing processes.



Chicago Faucets is a member of the U.S. Green Building Council. USGBC has developed The Leadership in Energy and Environmental Design (LEED) Green Building Rating System™, to measure the efficiency and sustainability of buildings constructed in the U.S. and Canada, and is accredited by the American National Standards Institute (ANSI).

LEED is a registered trademark of the US Green Building Council.



We are proud to be a partner with WaterSense, a program sponsored by the EPA, designed to protect the future of our nation's water supply by promoting water efficiency and enhancing the market for water efficient products, programs and practices.



Chicago Faucets is a charter sponsor of the Alliance for Water Efficiency, a broad-based non-profit organization that is dedicated to the efficient and sustainable use of water. It brings together a diverse range of stakeholders to advocate water-use efficiency and conservation.



a Geberit company

Chicago Faucets, a member of the Geberit Group, is the leading brand of commercial faucets and fittings in the United States, offering a complete range of products for schools, laboratories, hospitals, office buildings, food service, airports and sports facilities. Whatever your requirements may be, Chicago Faucets extensive standard and made-to-order product offering are designed to meet any commercial application.

**ECAST™ from Chicago Faucets, is the line of durable, high-quality brass faucets and fixtures that are designed and manufactured with less than one quarter of one percent (0.25%) total lead content by weighted average. These products are intended for installation where state laws and local codes mandate lead content levels or in any location where lead content is a concern.**

 Contains 10% post-consumer recycled paper

© 2009 The Chicago Faucet Company. Product specifications subject to change without notice.

The Chicago Faucet Company  
2100 South Clearwater Drive  
Des Plaines, IL 60018  
Phone: 847/803-5000  
Fax: 847/803-5454  
Technical: 800/832-8783  
[www.chicagofaucets.com](http://www.chicagofaucets.com)

Form CF1049, Rev 2 07/09